




AUTOMOTIVE HELMET LINE

GPV-R

SERIES



THE REFINED
FORM OF ARAI'S
NEXT GENERATION



HOCOPARTS
PREMIUM MOTORCYCLE PRODUCTS

OUR COMMITMENT TO THE CONSISTENT PURSUIT OF GAINS IN PROTECTION IS THE FOUNDATION UPON WHICH ARAI IS BUILT.

► Arai's Core Design Philosophy Of A Round And Smooth Form Has Evolved Even Further To A New Level.

With a Priority for Protection into even the smallest details, the reshaped shell lowers the shield pivot point to allow the upper portion of the shell to be smoother and rounder, to redistribute impact energy more efficiently. This minimises, or even avoids, impact energy intrusion into the helmet by allowing impacts to glance off the surface more easily.

The addition of the shield centre lock, with a positive lock and effortless function from either side, shows Arai's commitment to driver protection and performance.



PRIORITY FOR PROTECTION

INNOVATIONS

GP-VAS SHIELD SYSTEM VARIABLE AXIS SYSTEM

The GP-VAS was developed to lower the shield pivot point and still fully open without contacting the shell, resulting in improved impact absorption performance in the FIA standards' impact absorption test. Additionally, the highest point of the new shield in the closed position is 17mm lower than the previous model, increasing the area of smoother surface above and improving its glancing off ability.



TALLER FIELD OF VIEW

To enhance visibility, the bottom of the eye port was cut lower for better visibility of critical gauges. Thanks to the experience of our R&D team, approximately 8mm of view at the bottom of the eye port was added without affecting the protection ability of the helmet.

FACE SHIELD CENTRE LOCK

The GP-VAS was developed to lower the shield pivot point and still fully open without contacting the shell, resulting in improved impact absorption performance in the FIA standards' impact absorption test. Additionally, the highest point of the new shield in the closed position is 17mm lower than the previous model, increasing the area of smoother surface above and improving its glancing off ability.

SYSTEM INTERIOR PADDING

The new removable liner allows for better airflow, easier cleaning and fitment adjustment. A 7mm dense foam pad and 5mm soft foam pad on both sides of the head liner can be removed for an adjustment of up to two sizes.



CHEEK PADS

Redesigned cheek pads allow for easy microphone installation, with a small hole provided in the cover to allow for smooth routing and a clean look. A wider view can also be found by removing the perforated corners of the comfort foam.



CENTRE PAD

Compatible with a variety of hydration systems without needing additional work, this improved design makes it simple and smooth to install or remove these systems.



VENTILATION DUCT

The ventilation holes on top of the helmet have been moved forward 15mm from the previous design, achieving better ventilation without compromising protection ability.



PRIORITY FOR PROTECTION

GPV-R



GLANCING OFF
IMPACT ENERGY



OPTION
Installation

AUTOMOTIVE HELMET LINE

GPV-R

SR CABP8860

STANDARD: FIA8860-2018-ABP

SHELL: Racing Carbon construction

COLOR: Carbon Clear GR


INTERIOR: Flame retardant system liner

SIZES: XS(54) S(55-56) M(57-58) L(59) XL(60-61)

Comes standard with FHR anchor posts

GP PED kit included in package

*FIA8860-2018-ABP certification pending approval



OPTION
Installation

AUTOMOTIVE HELMET LINE

GPV-R

SR C8860

STANDARD: FIA8860-2018

SHELL: Racing Carbon construction

COLOR: Carbon Clear GR

INTERIOR: Flame retardant system liner

SIZES: XS(54) S(55-56) M(57-58) L(59) XL(60-61)

Comes standard with FHR anchor posts

GP PED kit included in package

*FIA8860-2018 certification pending approval



OPTION
Installation

AUTOMOTIVE HELMET LINE

GPV-R 8859

STANDARD: FIA8859-2024; SNELL SA 2025

SHELL: PB-CLC

COLOR: White

INTERIOR: Flame retardant system liner

SIZES: XS(54) S(55-56) M(57-58) L(59) XL(60-61)

Comes standard with FHR anchor posts

GP PED kit included in package

*FIA8859-2024 and Snell SA 2025 certification pending approval



KART RACING USE

SKV-R 8878

STANDARD: FIA8878-2024; SNELL K 2025

SHELL: PB-CLC

COLOR: White

INTERIOR: Odor retardant system liner

SIZES: XS(54) S(55-56) M(57-58) L(59) XL(60-61)

*FIA8878-2024 and Snell K 2025 certification pending approval

KART RACING
use only

Important Notice: Arai reserves the right to change models, specifications, color, designs and sizes without prior notice. No rights may be obtained from this brochure. Please note that printed color are never completely true to actual color. Helmet color shown are as accurate as possible, and are subject to limitations of the printing process. No part of this brochure may be produced without written permission from the publisher. All rights reserved. The photographs and information contained herein are protected by copyright. Not all models might be available in all markets. Some helmets in this brochure are shown with tinted shields. Tinted shields are used instead of the standard clear shields for display purposes only and are available at Arai dealers. For the latest overview visit www.araihelmet.eu. No helmet can protect the wearer against all foreseeable impacts.

JOIN US

@ARAI EU ARAIHELMET.EU